रटील आंथोरिटी आंफईण्डिया लिमिटेड

(भारत सरकारका प्रतिकान) से महेरियल्यक्तिभीचन प्रतिकारपुर और पाइस प्रोक्त - निर्देशो, ४० सिहमून झारखपड- ४३३००, पुरमाण ०९३०४१२८७४६ F-mail: momchiria@gmail.com



STEEL AUTHORITY OF INDIA LIMITED (A Government of India Enterprise) RAW MATERIALS DIVISION MANOHARPUR ORE MINES

P.O. CHRIA, W. Singhbhum, Jharkiana-833196 P.Ph. No. 09308128774.

Limit: momchinis@gmail.com

Date:26.11.2018

Ref. No. MOM/PC/6/75

To,
Additional PCCF (IFS)
Ministry of Environment, Forest and Climate Change
Regional Office (ECZ)
Bungalow No. A = 2, Shyamali Colony
Ranchi = 834 002

Sub: Six Monthly Compliance of the Conditions Stipulated in Environmental Clearance of Madellan Iron ore mining project for the period April-2018 to September-2018 of M/s SAIL.

Sir.

We are hereby submitting status of compliance for the above period up to 30th September, 2018 to the conditions stipulated in the Environmental Clearance granted by MoEF vide No:J-11015/249/2009-IA.II(M), Dated: 23^{ch} March, 2011in respect of Matchaulten Iron ore miningproject of Mancharpur Ore Mines of M/s SAIL for production of 4.20 MTPA of Iron ore.

It may, please be noted that mine is not in operation since 08.12.2005 for want of Stage II Forestry. Clearance.

Thanking you,

Yours faithfully, For Steel Authority of India Ltd.

> General Manager (Mines) Manoharpur Ore Mines Raw Material Division, SAIL

Copy to

- 1. Director, IA, MoEF& CC, GOI, Indira ParyavaranBhavar, Aliganj, JorBagh Road, New Delhi 110 003
- 2. Member Secretary, JSPCB, HEC, Dhurwa, Banchi 834 004
- In-charge, Eastern Zone, CPCB, Southern Conclave, Block 502,5th & 6th Floors, 1582 Rajdanga Main Road, Kolkata - 700 107 (W. B.)

(Repd. Office: IspatBhawan, Indi-Road, P.C). Box 3049, New Delhi 110003, Ph. Nn. 011-24387481(14Lines) প্রাকৃত্রক যাঁক্র ইংগ্রে থবন, চাঁকী বাভ, গাঁ০ বত গত ১০৩৭, দুর্ল বিংলী, গণততেই দুযোগ ০৭৭২৪১৫৮৫০(গুলারণ)

Status of Compliance to Conditions Stipulated in Environmental Clearance granted

by

MoEFCC

Vide Order No:J-11015/249/2009-IA.II(M), Dated:23rd March, 2011 for 4.20 MTPA

Of

Maclellan Iron Ore mining project

(Period: April' 2018 to September' 2018)



STEEL AUTHORITY OF INDIA LIMITED

RAW MATERIALS DIVISION MANOHARPUR ORE MINES

P.O. – CHIRIA, PIN: 833106 DIST.: SINGHBHUM (WEST)

JHARKHAND STATE



Environment Clearance letter No:J-11015/249/2009-IA.II(M), Dated: 23rd March, 2011 of McIellan Iron Ore Mining project for production of 4.20 MTPA (ROM) of iron ore.

Half yearly compliance report for the period: April'2018 to September'2018

A. Specific Condition

SI. No	Condition	Compliance as on Sep' 2018
i	The project proponent shall obtain Consent to	Consent to Establishment was obtained from
	Establish and Consent to Operate from the	Jharkhand State Pollution Control Board for a
	Jharkhand State Pollution Control Board and	capacity of 4.20 MPTA, vide letter Ref. no:
	effectively implement all the conditions	PC/NOC/JSR/26/10/G-172, dated: 25.01.2016.
	stipulated therein.	
ii	Environmental clearance is subject to final order	Noted.
	of the Hon'ble Supreme Court of India in the	
	matter of Goa Foundation Vs. Union of India in	
	Writ Petition (Civil) No. 460 of 2004, as may be	
	applicable to this project.	
iii	Environmental clearance is subject to obtaining	Not Applicable
	clearance under the Wildlife (Protection) Act,	
	1972 from the competent authority, as may be	
	applicable to the project.	
iv	Environmental clearance is subject to obtaining	Stage-1 Forest Clearance was obtained vide
	clearance under Forest (Conservation) Act, 1980	letter Ref: F. No.8-70/2009-FC, dated:
	for diversion of forestland. Mine working shall be	09.03.2011. For mine working over 379.228
	restricted to the area for which forestry	ha. Stage-01 conditions compliances
	clearance has been obtained.	submitted & Grant of Final Clearance is
		awaited.
V	Prior environmental Clearance from the Standing	
	Committee of the National Board for wildlife shall	
	be obtained due to location of the mine within	
	the core zone of Singhbhum Elephant Reserve,	
	before starting any activity relating to the project	
	at site. All the conditions stipulated by the	
	standing committee shall be effectively	
	implemented in the project. It shall be noted that	
	wildlife clearance shall be granted to the project	
	and that your proposal for wildlife clearance shall	
	be considered by the competent authority ties on	
	its merits and decision taken. The investment	
	made in the project, if any based on	
	environmental clearance granted to the project,	
	in anticipation of the clearance from wildlife	
	clearance shall be entirely at the cost and risk of	
	the project proponent and Ministry of	
	Environment and Forests shall not be responsible	



	illance status of EC	Maciellan Iron Ore Milning project
SI. No		Compliance as on Sep' 2018
	in this regard in any manner.	
vi	The Mining operations shall be restricted to above the groundwater table and it should not intersect the groundwater table. In case of working below the groundwater table, prior approval of the Ministry of Environment and Forests and the Central Ground Water Authority shall be obtained, for which a detailed hydrogeological study shall be carried out.	Water table level at our mining lease area is about 400 m AMSL and ultimate depth of our proposed workings will be above 438 m AMSL. Hence there is no possibility for intersecting of Mine workings with the ground water table. Due to any reason it is required to work below the groundwater table, we will obtain prior approval of the Ministry of Environment and Forests and the Central Ground Water Authority shall be obtained, for which a detailed hydro-geological study will be carried out.
vii	The project proponent shall ensure that no natural watercourse and/or water resources shall be obstructed due to any mining operations. The first order streams and the seasonal nallahs originating from the mining lease area shall be protected.	No working during April' 2018 to September' 2018. Proper Precautions will be taken to avoid obstructions to Natural water resources by providing drains and bounds etc. at required places during operations period.
viii	The top soil, if any shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.	No working during April' 2018 to September' 2018. After starting operations, the top soil will be temporarily stored at earmarked site. The stored top soil will be used in plantation works.
ix	The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only and it should not be kept active for a long period of time and their phase-wise stabilization shall be carried out. There shall be two external over burden dumps having maximum projected height of 7 m and 32 m. The maximum height of the dumps shall not exceed 32 m having two terraces and the overall slope of the dump shall be maintained to 28. The OB dump should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional Office	No working during April' 2018 to September' 2018. After starting operations the over burden (OB) generated during the mining operations will be stored at earmarked site. Phase-wise stabilization will be carried out. Six monthly Compliance Status is being submitted to the Ministry of Environment & Forests and Climate Change and its Regional Office located at Ranchi.



	pliance status of EC Waciellan Iron Ore Wilning projec	
SI. No		Compliance as on Sep' 2018
	located at Bhubaneswar on six monthly basis.	
x	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working soil, mineral and OB dump(s) to prevent run off of water and flow of sediments directly into the Hamsadagaar Nallah, the Koina River, the seasonal nallahs and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly de-silted particularly after the monsoon and maintained properly. Garland drains, setting tanks and check dams of appropriate size, gradient and length shall be constructed around the mine pit, soil, mineral and over burden dumps to prevent run off of water and flow of sediments directly into the Hamsadagaar Nalla, the Koina River, the seasonal nallahs and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de-silted at regular intervals.	No working during April' 2018 to September' 2018. After starting operations, Repair of old Retaining wall, Garland drain, siltation pond and construction of new Retaining wall, Garland drain, siltation pond at required places will be carried out.
xi	Dimension of the retaining wall at the toe of the over burden dumps and the OB benches within the mine to check run-off and siltation shall be based on the rain fall data.	No working during April' 2018 to September' 2018. Dimension of the retaining wall and check dams will be designed based on the rainfall data.
xii	Plantation shall be raised in an area of 367.228 ha including a 7.5 m wide green belt in the safety zone around the mining lease, over burden dumps, backfilled and reclaimed area, mine benches, along the roads etc. by planting the native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per ha. Greenbelt shall be developed all along the mine	No working during April' 2018 to September' 2018. Greenbelt will be developed all along the mine lease area in a phased manner and shall be completed within first five years after the start of mining operations.



water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. xiv The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. xv Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring ([at least four times on a year-pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground	lease area in a phased manner and shall be completed within first five years. xiii Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. xiv The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. xv Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [fat least four times on a year-pre-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Roard/Central Ground Water Roa	Comp	liance status of EC	Maclellan Iron Ore Mining project	CT
xiii Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. xiv The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. xv Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times on a year-pre-monsoon (April May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.	xiii Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. xiv The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. xv Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [tat least four times on a year-pre-monsoon (April May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the Regional Director, Central Ground Water Authority and the Regional Director, Central Ground Water Authority and the Regional Director, Central Ground Water Board/Central Ground Water Board/Central Ground Water Authority and the Regional Director, Central Ground Water Board/Central Ground Water Board/Central Ground Water Board/Central Ground Water Authority and the Regional Director, Central Ground Water Board/Central Grou	SI. No	Condition	Compliance as on Sep' 2018	
water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. xiv The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. xv Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times on a year-pre-monsoon (April) May), monsoon (August), post-monsoon (November) and winter (Ianuary); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground W	water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. xiv The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. xv Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times on a year-pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season]] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Office Bhubaneswar, the Central Ground Water Soard. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.		·		
conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. XV Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times on a year-pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out. **Metwork of 6 nos. of existing Dug Wells located around the mines have been selected for ground water level monitoring. **Ground water level monitoring.** Ground water table levels at the selected wells are being monitored at regular intervals i.e. 4 times in a year. The Range of water levels during Pre monsoon (May) and Moonsoon (August) is as follows, Water level below the Ground Water Roard. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out. Gl Adjacent to community centre at Anqua G2 Opposite to community centre at Anqua G3 Near Anqua Model 128-220	conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. XV Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times on a year-pre-monsoon (April May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out. He surface runoff from the mining pits, from where is seeps in to the ground. Check bunds, Garland drains and siltation pond has been constructed to control surface runoff from the mining pits, from where is seeps in to the ground. Check bunds, Garland drains and siltation pond has been constructed to control surface runoff from the mine pits, from where is seeps in to the ground. Check bunds, Garland drains and siltation pond has been constructed to control surface runoff from the mine seeps in to the ground. Check bunds, Garland drains and siltation pond has been constructed to control surface runoff from the mine seeps in to the ground. Check bunds, Garland drains and siltation pond has been constructed to control surface runoff from the mine seeps in to the ground. Check bunds, Garland drains and siltation pond has been constructed to control surface runoff from the seeps in to the ground. Fetul Public	xiii	water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control	2018. Regular water sprinkling will be done on I roads, loading and unloading point and	haul
quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times on a year-pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out. Iocated around the mines have been selected for ground water level monitoring. Ground water table levels at the selected wells are being monitored at regular intervals i.e. 4 times in a year. The Range of water level sduring Pre monsoon (May) and Moonsoon (August) is as follows, Water level in the selected of the wells are being monitored at regular intervals i.e. 4 times in a year. The Range of water levels during Pre monsoon (May) and Moonsoon (August) is as follows, Ground water table levels at the selected wells are being monitored at regular intervals i.e. 4 times in a year. The Range of water level monitoring. Ground water table levels at the selected wells are being monitored at regular intervals i.e. 4 times in a year. The Range of water level monitoring. Ground water table levels at the selected wells are being monitored at regular intervals i.e. 4 times in a year. The Range of water level monitoring. Ground water table levels at the selected wells are being monitored at regular intervals i.e. 4 times in a year. The Range of water level monitoring.	quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times on a year-pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out. Il cated around the mines have been selected for ground water level monitoring. Ground water table levels at the selected wells are being monitored at regular intervals i.e. 4 times in a year. The Range of water levels during Pre monsoon (May) and Moonsoon (August) is as follows, Water level below the ID Location Ground Surface (in meters) G1 Adjacent to community centre at Anqua G2 Opposite to community centre at Anqua G3 Near Anqua Model Steel Village Gate G4	xiv	conservation measures to augment ground water resources in the area in consultation with the	the surface runoff from the mining areas lead to been diverted to mine pits, from when seeps in to the ground. Check bunds, Garland drains and siltation process.	have re it pond
G4 Siva Mandir 3 65-3 85	5.03 5.05	XV	quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times on a year-pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forest and its Regional Office Bhubaneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures	located around the mines have been select for ground water level monitoring. Ground water table levels at the select wells are being monitored at regular intersite. 4 times in a year. The Range of water levels during Premons (May) and Moonsoon (August) is as follows ID Location Water levels water levels during Premons (May) and Moonsoon (August) is as follows Ground Surface (in meters in meters of the selection of the selec	cted cted rvals soon s, evel the



SI. No	Condition	lition Compliance as on Sep' 2018	
		G5 Near CNI Church 5.95-8.20	
		G6 Near Bishra Chowk 2.00-1.70	
		In addition to above two piezometers one at Chiria (150 feet) and another at Dhobil Village 200 feet provided in Febrauary'17 and monitoring will be continued as per the schedule. Ground water levels during Premonsoon (May) and Moonsoon (August) and piezometers photography is placed in	
		Annexure – 1.	
xvi	Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained.	No working during April' 2018 to September' 2018. Regular monitoring of flow rate of water at the perennial nalla i.e. Hamsadagaar Nalla, is being done and records are being maintained.	
xvii	The Project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water (surface water and ground water) required for the project.	Permission obtained from Water Resource Department, Govt. Of Jharkhand and agreement has been made with Water Ways Division, Chaibasa on 03.08.2017, for drawl of water from Hamsadagara Nalla to the tune of 0.62 MCM per annum for Manoharpur Ore Mines, Chiria.	
xviii	Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.	As the mine pits are located at the hill top, all the surface runoff from the mining areas have been diverted to mine pits, from where it seeps in to the ground. Check bunds, Garland drains and siltation pond has been constructed to control surface runoff.	
xix	Appropriate mitigative measures shall be taken to prevent pollution of the Koina River in consultation with the State Pollution Control Board.	No working during April' 2018 to September' 2018. For preparation of a Comprehensive Catchment Area Treatment (CAT)Plan of the area, discussion was held with DFO (Saranda) and IIT Kharagpur, a world renowned premier mining institute of the country, was engaged for preparation of the CAT Plan. IIT Kharagpur, by using GIS Frame work and Remote Sensing Technology, as well as field survey, has prepared the CAT Plan. The CAT Plan covers an approx. area of 11,500 Km² bounded by the west bank of river Koina in the west up to the east bank of river Karo in the	



xxi No Bla du pra gro bo xxii Dig rer reg	chicular emissions shall be kept under control and regularly monitored. Measures shall be taken or maintenance of vehicles used in mining perations and in transportation of mineral from ine face to the beneficiation plant. The vehicles hall be covered with a tarpaulin and shall not be verloaded. To blasting shall be carried out after the Sunset,	east. The Plan has focused on the scenario of the region, river systewater pollution and their prevedescription, soil conservation integration with CSR activities, mind in the area etc. In consultation with State Polluboard Pollution Control measuring implemented during operation. No working during April' 2018 to 2018. Will be followed during operation.	em, source of ention, terrain and its ining activities ution Control ures will be
xxi No Bla du pra gro bo xxii Dig rer reg	nd regularly monitored. Measures shall be taken or maintenance of vehicles used in mining perations and in transportation of mineral from ine face to the beneficiation plant. The vehicles hall be covered with a tarpaulin and shall not be verloaded. To blasting shall be carried out after the Sunset,	The Plan has focused on the scenario of the region, river system water pollution and their preved description, soil conservation integration with CSR activities, mind in the area etc. In consultation with State Pollution Control measure implemented during operation. No working during April' 2018 to 2018. Will be followed during operation.	em, source of ention, terrain and its ining activities ution Control ures will be
xxi No Bla du pra gro bo xxii Dig rer reg	nd regularly monitored. Measures shall be taken or maintenance of vehicles used in mining perations and in transportation of mineral from ine face to the beneficiation plant. The vehicles hall be covered with a tarpaulin and shall not be verloaded. To blasting shall be carried out after the Sunset,	2018. Will be followed during operation	•
Bla du pra gro bo xxii Dig rer reg use	•	No working during April' 2018 to	
rer reg use	asting operation shall be carried out only uring the daytime. Controlled blasting shall be racticed. The mitigative measures for control of round vibrations and to arrest fly rocks and bulders should be implemented.	2018. Will be followed during operation	·
Off	igital processing of the entire lease area using emote sensing technique should be done gularly once in three years for monitoring land se pattern and report submitted to the Ministry Environment and Forests and its Regional effice located at Bhubaneswar.	Technology (Indian School Dhanbad from Linear Imaging Sensor (LISS) data obtained Remote Sensing satellites-(LISS-IV) and Cartosat 2. The sate so obtained were processed supervised classification method I Erdas Imagine software. Land use pattern of the lease area LU/LC classes Mine lease Boundary Dense forest	Mclellan lease Department of Institute of of Mines) Self scanning from Indian Resourcesat-2 atellite images ed applying have using the a is as follows, Area (ha) 823.617 701.107
		Open forest Built-up area Mining	5.266 31.100





SI. No	Condition	Compliance as on Sep' 2018	
		Built-up area non mining	1.862
		Waste Land	84.349
		Agricultural land	0.000
xxiii	Drills shall either be operated with dust extractors or equipped with water injection system.	No working during April' 2018 t 2018. Will be followed during operation	·
xxiv	Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	No working during April' 2018 t 2018. Will be followed during operation	·
xxv	Sewage treatment plant shall be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operation.	Septic Tanks with soaking pit provided for the various according Septic Tank & Soaking Pits are regularly and maintained. However, Vehicle washing facing grease traps was provided at Conflice for vehicles.	ommodations. being cleaned ility with Oil
xxvi	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	Pre-placement medical exam periodical medical examination carried out and records maintained	on is being



	liance status of EC	iviaciellan iron Ore iviining project
SI. No	Condition	Compliance as on Sep' 2018
xxvii	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna namely elephant, sloth bear, Indian wolf, python etc. spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. All the safeguard measures brought out in the wildlife Conservation Plan so prepared specific to the project site shall be effectively implemented. A copy of action plan shall be submitted to the Ministry of Environment and Forests and its Regional Office, Bhubaneswar.	All precautions are under taken not to disturb the flora and fauna in the mining lease area. Necessary facilities are being extended to local forest department for their inspection and monitoring of forest area. Comprehensive Integrated Wild Life Management Plan for the West Singhbhum District has been prepared under aegis of SAIL and the report is under finalization by Govt. of Jharkhand. Measures suggested by Jharkhand Govt. for the leasehold shall be suitably implemented and demand raised by the State Govt. shall be paid for implementation of the Wild Life Management Plan by the Govt. of Jharkhand.
xxviii	The entire mining lease area shall be fenced by erecting solar powered electric fencing all round it. The fencing so erected shall be maintained properly and the cost towards erection and maintenance of the solar powered electric fencing shall be borne by the project proponent out of the project cost. No transportation of ore outside the mine lease area shall be carried out after the sunset.	As the project area falls within the RF, the matter has been discussed with forest officials. State Forest Department officials is of the opinion that Solar fencing may obstruct/ effect the movement of wild life animals. Accordingly, the matter is being discussed with DFO, Saranda Division and a request letter has been submitted to DFO, Saranda vide letter Ref. No. MOM/PC/6/58 dated 03.05.2018. Clarification /direction was requested from DFO, Saranda Division, Chaibasa. Based on the opinion of the State Forest Department, action will be taken for compliance of the condition. No working during April' 2018 to September' 2018. Will be followed during operation.
(xxx)	The critical parameters such as RSPM (Particulate matter with size less than 10 um i.e. PM10) and NOx in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is loser shall be	No working during April' 2018 to September' 2018.



SI. No	Condition	Compliance as on Sep' 2018
	monitored periodically. Further, quality of	
	discharged water shall also be monitored (TDS,	
	DO, PH and Total Suspended Solids (TSS). The	
	monitored data shall be uploaded on the website	
	of the company as well as displayed on a display	
	board at the project site at a suitable location	
	near the main gate of the Company in public	
	domain. The Circular No. J-20012/1/2006-IA (M)	
	dated 27.05.2009 issued by Ministry of	
	Environment and Forests, which is available on	
	the website of the Ministry www.envfor.nic,in	
	shall also be referred in this regard for its	
	compliance.	
xxxi	A Final Mine Closure Plan along with details of	Not Applicable at present.
	Corpus Fund should be submitted to the Ministry	Final Mine closure plan along with the fund
	of Environment & Forests 5 years in advance of	details will be submitted to the ministry 5
	final mine closure for approval.	years advance.

B. General Conditions

SI.	No	Condition	Compliance as on March' 2018
	i	No change in mining technology and scope of	No working during April' 2018 to
		working should be made without prior approval of	September' 2018.
		the Ministry of Environment & Forests.	
i	ii	No change in the calendar plan including excavation,	No working during April' 2018 to
		quantum of mineral iron ore and waste should be	September' 2018.
		made.	
i	ii	Four ambient air quality-monitoring stations should	No working during April' 2018 to
		be established in the core zone as well as in the	September' 2018.
		buffer zone for RSPM (Particulate matter with size	
		less than 10um i.e. PM10) and NOx monitoring.	
		Location of the stations should be decided based on	
		the meteorological data, topographical features and	
		environmentally and ecologically sensitive targets	
		and frequency of monitoring should be undertaken	
		in consultation with the State Pollution Control	
		Board.	
i	٧	Data on ambient air quality RSPM (Particulate	No working during April' 2018 to
		matter with size less than 10 ${\it um}$ i.e., PM10) & NOx	September' 2018.
		should be regularly submitted to the Ministry of	



SI. No	Condition	Compliance as on March' 2018
	Environment and Forests including its Regional office located at Bhubaneswar and the State Pollution Control Board/Central Pollution Control Board once in six months.	
V	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	No working during April' 2018 to September' 2018.
vi	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs/muffs.	No working during April' 2018 to September' 2018.
vii	Industrial waste water (Workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	No working during April' 2018 to September' 2018.
viii	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	No working during April' 2018 to September' 2018.
ix	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization.	A full-fledged Environment Management Cell (EMC) has been established to look after environment aspects headed by an experienced engineer with more than 10 years' experience in the field of environment in the rank of Sr. Manager who directly reports Head of Mines. In addition to the EMC at Mines level an Environment & lease department at our head quarter i.e. Raw Materials



SI. N	١	Condition	Compliance as on March' 2018
			Division, Kolkata headed by a qualified person (M Tech in Environmental Engineering) and experience environmental engineers who facilitate all the RMD mines including MOM, Chiria mines in implementation and maintained of pollution control measures.
X		The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment and Forests and its Regional Office located at Bhubaneswar.	Funds allocated for environmental management are spent only for Environment related purposes and not diverted to any other purpose.
xi		The project authorities should inform to The Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Will be followed.
xii		The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite date/information/monitoring reports.	Full co-operation is extended to the officers of the Regional Office, MoEF & CC, Ranchi, by furnishing the requisite data / information / monitoring reports.
xiiii		The project proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored date (both in hard copies as well as by e-main) to the Ministry of Environment and Forests, its Regional Office Bhubaneswar, The respective Zonal Office of Central Pollution Control Board the State Pollution Control Board. The proponent shall upload the status of compliance of the EC conditions, including results of monitored date on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment & Forests, Bhubaneswar, the respective Zonal Office of Central Pollution Control Board and State Pollution Control Board.	Six monthly compliance reports on the status of implementation of environmental safeguards are being submitted to MoEF&CC, New Delhi, Regional Office — MoEF&CC, Ranchi, Central Pollution Control Board and State Pollution Control Board. Copy of the compliance report including environmental quality data is being uploaded to the SAIL web site i.e. www.sail.co.on.
xiv	,	A copy of the clearance letter shall be sent by the proponent to concerned panchayat, Zila Parisad/Municipal Corporation, Urban Local Body	notified in the public places. The



<u> </u>	ipliance status of LC						
SI. No	Condition	Compliance as on March' 2018					
	and the Local NGO, if any from whom suggestions/representations, if any were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Company website.					
xv	The State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and the Collector's office/Tehsildar's office for 30 days.						
xvi	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Regional office of the Ministry of Environment and Forests, Bhubaneswar by e-mail.	Environmental Statement for the financial year 2016-17 ending 31 st March, 2017 has been submitted to the Jharkhand State Pollution Control Board vide reference No: MOM/PC/6/37, dated: 02-05-2017.					



Compliance status of E	ic .
et sta	C 15.1

Maclellan Iron Ore Mining project

SI. No Condition XVII The project authorities should advertise at least in two local newspapers of the District or State in the project is located and widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http:/envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.

Compliance as on March' 2018

Advertisement was given in two local newspapers Hindustan times (English) and Dainik Jagaran (Local Language Hindi) within 7 days of the issue of the clearance letter.

General Manager (Mines) Manoherpur Ore Mines

Period: April' 2018 to September' 2018

12 | Page



Annexure-1

GROUND WATER LEVEL MEASUREMENTS & QUALITY

Ground Water levels in and around the Mines

Location	I C CO WI	Water level below the Ground Surface (in meters)		
ID	Location of Open Wells	Pre-monsoon (May, 2018)	Moonsoon (August, 2018)	
G1	Adjacent to community centre at Anqua	6.95	3.15	
G2	Opposite to community centre at Anqua	8.00	3.85	
G3	Near Anqua Model Steel Village Gate	2.20	1.28	
G4	Siva Mandir	3.85	3.65	
G5	Near CNI Church	8.20	5.95	
G6	Near Bishra Chowk	2.00	1.70	

CL N	I di CDi	Water level below the Ground Surface (in meters)		
Sl. No.	Location of Piezometer	Pre-monsoon (May, 2018)	Moonsoon (August, 2018)	
1	Chiria Village	4.00	3.50	
2	Dhobil village	3.25	3.00	

A. Ground Water Quality in and around the Mines

Date of sampling:		01.06.2018 (Pre-monsoon)						
S. No.	Parameters	Unit	G 1	G 2	G 3	G 4	G 5	G 6
1	pН	-	7.20	7.18	7.35	7.10	7.28	6.90
2	Temperature	⁰ C	29.60	29.50	29.60	29.70	29.50	29.50
3	Turbidity	NTU	2.35	2.15	2.32	1.85	3.65	2.60
4	Conductivity	uS/cm	334.26	300.93	306.67	232.04	325.19	267.59
5	DO	mg/l	7.20	7.25	7.30	7.15	6.73	7.12
6	TDS	mg/l	180.50	162.50	165.60	125.30	175.60	144.50
7	TSS	mg/l	30.60	27.50	29.40	16.50	38.80	32.60


Date of sampling:		24.08.2018 (Monsoon)						
S. No.	Parameters	Unit	G 1	G 2	G 3	G 4	G 5	G 6
1	pН	-	7.18	6.02	5.93	5.83	6.12	5.90
2	Temperature	°C	25.10	25.10	25.50	25.50	25.30	25.40
3	Turbidity	NTU	0.81	2.21	7.38	0.54	6.35	9.91
4	Conductivity	uS/cm	326.00	234.00	102.70	373.00	295.00	253.00
5	DO	mg/l	8.46	7.08	7.38	4.42	6.53	6.54
6	TDS	mg/l	153.80	111.40	48.50	179.60	135.90	120.70
7	TSS	mg/l	15.20	25.30	32.80	26.20	35.60	42.50



Annexure-1



1. Piezometer No:1 at Chiria Village



2. Piezometer No:2 at Dhobil Village