

स्टील अथॉरिटी ऑफ़ इंडिया लिमिटेड STEEL AUTHORITY OF INDIA LIMITED कोलियरीज डिवीज़न, चासनाला COLLIERIES DIVISION, PARBATPUR

Date: 30/11/2017

Ref.: PAR/EC comp/2017/93

To,
The Additional Director (S),
El Division, Ministry of Environment Forests, & climate change
Paryavaran Bhawan, CGO Complex, Lodhi Road,
New Delhi – 110003

Sub: Six monthly status of compliance to the conditions stipulated in the Environmental Clearance granted by MoEF vide letter no. J-11015/236/2006-IA (M) dated 11.01.2007 to prior allottee of the mine, M/s Electrosteel Castings Limited and subsequently transferred by MoEF&CC to the present allottee, Steel Authority of India Limited vide letter no. J- 11015/236/2006-IA-II (M) Pt. dated 06.12.2016 for Parbatpur Coal Mine for the period ending 30th Sept, 2017.

Dear Sir,

Parbatpur Central Coal Mine was allotted to SAIL by MoC, Govt. of India vide allotment order F.No.103/3/2015/NA Dt. 23.03.2016 under the Government dispensation route to the PSUs, subsequent to de-allocation of the mine from the prior allottee M/s Electro Steel Casting Ltd as per order of Honorable Supreme Court of India on 25th Sept.2014.

Environmental Clearance was granted to the prior allottee M/s Electrosteel Castings Limited vide letter no. J-11015/236/2006-IA (M) dated 11.01.2007 and same has been transferred in favor of SAIL vide letter no. J-11015/236/2006-IA-II (M) Pt. dated 06.12.2016

Now, fresh lease application submitted to State Government on 30.03.2016 and same is under consideration.

Further, mining activity is yet to commence as activities like grant of Mining Lease, acquisition of private land, transfer of ownership of land are under process.

However, the six monthly compliance status of conditions stipulated in the Environmental Clearance granted and transferred in favor of Parbatpur Central Coal Mine, SAIL for the period ending 2017 is being submitted for kind information.

Thanking you Sir,

Yours faithfully

(A K Rai)

D.G.M (J) & Agent (P&S)

Encl.: As above

Copy:-

1. The Additional Director (S),

Ministry of Environment & Forests, Govt of India,

Regional Office, Eastern Zone, A/3, Chandrasekharpur, Bhubaneswar - 751 023 (Odisha)

2. The Member-Secretary,

Central Pollution Control Board.

Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 110 032, INDIA

3. The Member-Secretary,

Jharkhand State Pollution Control Board, H.E.C., Dhurwa, Ranchi -834004 (Jharkhand)

Collieries Division, Chasnalla, Dhanbad, Jharkhand-828135, Telephone: +91-326-2385-001, 2385-002; Fax: +91-2385-003, email: gmchasnalla@gmail.com, website: www.sail.co.in कोलियरीज डिवीज़न, चासनाला, धनबाद, झारखण्ड-828135,दूरभाष: +91-326-2385-001, 2385-002; फैक्स: +91-2385-003, ईमेल: gmchasnalla@gmail.com, वेबसाइट: www.sail.co.in

Six Monthly

COMPLIANCE REPORT

OF

ENVIRONMENTAL CLEARANCE CONDITIONS

(Environmental Clearance granted by MoEF vide letter no. J-11015/236/2006-IA (M) dated 11.01.2007 to prior allottee of the mine, M/s Electrosteel Castings Limited and subsequently transferred by MoEF&CC to the present allottee, Steel Authority of India Limited vide letter no. J- 11015/236/2006-IA-II (M) Pt. dated 06.12.2016 for Parbatpur Coal Mine for the period ending September, 2017)

OF

Parbatpur Coal Mine (1.24 MTPA)

In Bokaro District of Jharkhand

For the Period April'2017 to September'2017



COLLIERIES DIVISION

P.O. BATBINOR, DT BOKARO -827013(JHARKHAND)

Status of Compliance to the conditions stipulated in the Environmental Clearance granted by MoEF vide letter no. J-11015/236/2006-IA (M) dated 11.01.2007 to prior allottee of the mine, M/s Electrosteel Castings Limited and subsequently transferred by MoEF&CC to the present allottee, Steel Authority of India Limited vide letter no. J- 11015/236/2006-IA-II (M) Pt. dated 06.12.2016 for Parbatpur Coal Mine for the period ending September, 2017

(A) Specific Conditions

Sl. No.	Condition	Status of Compliance as on September, 2017
i)	All the conditions stipulated by the SPCB in their NOC shall be effectively implemented.	Application for transfer of Consent to Establish (NOC) in favor of SAIL was submitted to JSPCB on 07.04.2016 and same has been accorded on 25.01.2017. However, Conditions as stipulated by the SPCB in NOC (CTE) is under process of implementation.
ii)	Mining shall be carried out as per statute at a safe distance from the river and any water body flowing within the lease boundary. At the time of depillaring, protective bunds and garland drains shall be provided so that no water from the surface enters the subsidence area and the shaft.	Mining shall be carried out as per statute at a safe distance from the river and any water body flowing within the lease boundary. At the time of depillaring, protective bunds and garland drains shall be provided so that no water from the surface enters the subsidence area and the shaft. However, at present Mining activities are not being undertaken by SAIL at Parbatpur Central Coal Mine due to want of Mining lease and other statutory clearances. It is prudent to mention that mine was allotted to M/s Electro Steel Casting Ltd prior to its deallocation on 25 th Sept.2014 as per Supreme Court order. Fresh application for grant of Mining Lease submitted to State Government on 30.03.2016 after the Mine was allotted to Steel Authority of India Ltd by Government of India under the Government dispensation route to the PSUs vide letter No. F.No.103/3/2015/NA Dt. 23.03.2016. At present lease application is under consideration of State Government and Ministry of Coal, Government of India.
iii)	While extracting panels in the lower seam, all water bodies in the subsidence area shall be drained. Dewatering of the old goaves of the upper seam shall be continued as long as the lower seam is worked to prevent	<u>During Operation of project.</u> While extracting panels in the lower seam, all water bodies in the subsidence area shall be drained. Dewatering of the old goaves of the upper seam shall be continued as long as the lower seam is worked to prevent

graph -

		1 C 1
	accumulation of large water bodies over working area.	accumulation of large water bodies over working area.
	Sufficient coal pillars shall be left un-	During Operation of project, Sufficient coal
iv)		pillars shall be left un-extracted around the air
	extracted around the air shaft (within	shaft (within the subsidence influenced area)
	the subsidence influenced area) to	
	protect from any damage from	to protect from any damage from subsidence,
	subsidence, if any.	if any.
(v)	Solid barriers shall be left below the	During Operation of project, Solid barriers
	roads falling within the blocks to	shall be left below the roads falling within the
	avoid any damage to the roads.	blocks to avoid any damage to the roads.
vi)	No depillaring operations shall be	During Operation of project, No depillaring
	carried out below the roads and village	operations shall be carried out below the
	area found within the lease.	roads and village area found within the lease.
vii)	Regular monitoring of subsidence	During Operation of project, regular
122)	movement on the surface over and	monitoring of subsidence movement on the
	around the working area and impact	surface over and around the working area and
	on natural drainage pattern, water	impact on natural drainage pattern, water
	bodies, vegetation, structure, roads	bodies, vegetation, structure, roads and
	and surroundings should be continued	surroundings should be continued till
	till movement ceases completely. In	movement ceases completely. All other
		necessary and effective corrective measures
	case of observation of any high rate of	shall be taken to avoid loss of life and
	subsidence movement, appropriate	material. Cracks, if any shall be effectively
	effective corrective measures should	
	be taken to avoid loss of life and	plugged with ballast and clayey soil/suitable
	material. Cracks should be effectively	material.
	plugged with ballast and clayey	
	soil/suitable material.	
viii)	Garland drains (of appropriate size,	Garland drains around the present safety
	gradient and length) around the safety	areas and adequate sump capacity is being
	areas such as mine shaft and low lying	maintained keeping 50% safety margin over
	areas and sump capacity should be	and above the peak sudden rainfall and
	designed keeping 50% safety margin	maximum discharge in the area adjoining the
	over and above the peak sudden	mine sites.
	rainfall and maximum discharge in the	Sump capacity is being maintained to provide
	area adjoining the mine sites. Sump	adequate retention period to allow proper
	capacity should also provide adequate	settling of silt material.
	retention period to allow proper	
	settling of silt material.	
ix)	OB should be temporarily stacked at	At present no mining activity is being done
111)	the earmarked external OB	by SAIL at Opencast Mine due to want of
	dumpsite(s) within ML area and shall	Mining lease and acquisition of private land
	have a maximum height of 60m only	for extension of existing Quarry.
	and consist of benches of 6-10 m each.	However during operation of Opencast
		mines, OB shall be temporarily stacked at the
	The ultimate slope of the dump shall	earmarked external OB dumpsite(s) within
!	not exceed 28°. The OB shall be re-	ML area and shall have a maximum height of
	handled and backfilled. There shall be	
	no external OB dump at the end of	60m only and consist of benches of 6-10 m
1		1. The alking the along of the dynam shall
	mine life.	each. The ultimate slope of the dump shall not exceed 28°. The OB shall be re-handled

John Dy

		and backfilled. There shall be no external OB dump at the end of mine life.
x)	Catch drain and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains should be regularly de-silted and maintained properly. Garland drains (size, gradient and length) and sump capacity should be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of the silt material.	Catch drain and siltation ponds constructed by prior allottee to arrest silt and sediment flows from soil, OB and mineral. The collected water is being be utilized for watering the mine area, roads, green belt development, etc. The drains are being regularly de-silted and maintained properly.
xi)	Dimensions of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation should be based on the rainfall data.	At present no mining activity is being done at Opencast Mine due to want of Mining lease and other statutory clearances for extension of existing Quarry. However during operation of Opencast mines, dimensions of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation shall be based on the rainfall data.
xii)	Crushers at the CHP should be operated with high efficiency bag filters/water sprinkling system should be provided to check fugitive emissions from crushing operations, conveyor system, haulage roads, transfer points etc.	granted to prior allottee M/s Electro steel Casting Ltd by MoEF&CC in January 2007.

		condition no.5 in EC transfer letter No.J-
xiii)	Drills should be wet operated only.	11015/236/2006-IA-II (M) Pt. dt.06.12.2016. <u>During Operation of project</u> , drills shall be wet operated only
xiv)	Controlled blasting should be practiced with use of delay detonators and only during daytime. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders should be implemented.	During Operation of project, controlled blasting shall be practiced with use of delay detonators and only during daytime. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders shall be implemented.
xv)	A progressive afforestation plan covering an area of 100 ha which includes, backfilled area, along ML boundary, along roads and infrastructure, vacant land and in area in township located outside the lease by planting native species shall be prepared and implemented in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per ha.	Afforestation plan for FY-2017-18 in 1 Ha area with a density of 2000 trees in consultation with local DFO is planned and implementation will be done shortly, within Parbatpur Coal block premises and backfilled area.
xvi)	The backfilled quarry area shall be reclaimed with plantation / afforestation by planting native plant species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per ha.	Reclamation with plantation / afforestation in the backfilled area will be complied with once backfilling commences as per approved Mine Plan in consultation with the local DFO/Agriculture Department. The density of the trees shall be around 2500 plants per ha.
xvii)	The company shall obtain prior approval of CGWA/CGWB Regional Office for use of ground water if any, for mining operations.	withdrawal of ground water has been submitted to CGWA, New Delhi on 07.04.2016. In response to the above letter the CGWA, New Delhi has instructed SAIL vide letter dated.16.05.2016 to submit fresh application for NOC for ground water withdrawal along with requisite documents. In this regard Rain water harvesting scheme has been revalidated and transfer in favor of SAIL. After grant Mining Lease fresh application for NOC for withdrawal of ground water shall be submitted to CGWA, New Delhi
xviii)	Regular monitoring of groundwater level and quality should be carried out by establishing a network of existing wells and construction of new piezometers. The monitoring for its	Monitoring of ground water level and quality shall be done regularly.

	quantity should be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected should be submitted to the Ministry of Environment & Forests and to the Central Pollution Control Board and Central / State Ground Water Board / Authority regularly.	
xix)	The company shall put up artificial groundwater recharge measures for augmentation of groundwater resource. Any additional water requirement for mining operation shall be met from rainwater use only. The project authorities should meet water requirement of nearly village(s) in case the village wells go dry due to dewatering of mine	Application was submitted to the Director (Ground Water Directorate), Ranchi on 07.04.2016 for transfer of technical approval granted to prior allottee M/s Electro steel Casting Ltd for the design and plan of Rain water Harvesting for ground water recharging and the same has been transferred to SAIL vide letter no. GWD/182/109, Ranchi Dt.12/05/2015
xx)	Sewage treatment plant should be installed in the colony. ETP should also be provided for treatment of effluents from workshop, CHP and coal washery. There shall be zero discharge from the coal washery.	<u>During Operation of project</u> , ETP shall also be provided for treatment of effluents from Mines and plants.
xxi)	Besides carrying out regular periodic health checkup of their workers, 10% of the workers identified from workforce engaged in active mining operations shall be subjected to health checkup for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmedabad within a period of one year and the results reported to this Ministry and to DGMS.	Regular periodic health checkup of the workers deployed in the mine is being carried out.
xxii)	Digital processing of the entire lease area using remote sensing technique should be done regularly once in 3 years for monitoring land use pattern and report submitted to MoEF and its Regional Office at Bhubaneshwar.	using remote sensing technique shall be done regularly once in 3 years for monitoring land use pattern and report shall be submitted to MoEF and its Regional Office at Bhubaneswar after start of mining operation.
xxiii)	A final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of	prepared after finalization of Co-development

	Environment & Forests within one	extraction of coal &CBM and grant of
	vear for approval.	Mining Lease.
xiv)	Consent to operate shall be obtained	Consent to operate would be applied after grant of Mining Lease.

B. General Conditions:

Sl. No.	Condition	Status of Compliance as on September, 2017
i)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.
ii)	No change in the calendar plan including excavation, quantum of mineral coal and waste should be made.	No change in the calendar plan including excavation, quantum of mineral coal and waste would be done.
iii)	Four ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for SPM, RPM, SO ₂ and NOX monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. The data so collected should be regularly submitted to the Ministry including its Regional Office and to the State Pollution Control Board and the Central Pollution Control Board once in six months.	
iv)	No condition exists by sl.no. (iv)	
v)	Fugitive dust emissions from all the sources should be controlled regularly monitored and data recorded properly. Water spraying arrangement	emissions from all the sources shall be controlled, regularly monitored and data recorded properly.

	on haul roads, wagon loading,	loading, and dump trucks (loading and unloading)
	and dump trucks (loading and	points shall be provided and properly maintained.
	unloading) points should be	, , , , , , , , , , , , , , , , , , , ,
	provided and properly	
	maintained.	
.:.	Adequate measures should be	When the mine is started after grant of Mining
/i)	taken for control of noise	lease and other statutory clearances, adequate
	levels below 85 dBA in the	measures shall be taken for control of noise levels
	work environment. Workers	below 85 dBA in the work environment as
	engaged in blasting and	directed.
	drilling operations, operation	
	of HEMM, etc. should be	
	provided with ear plugs,	
	muffs.	
vii)	Industrial wastewater	At present no mining activity is being under taken
VII)	(workshop and wastewater	at the mine except pumping of underground water
	from the mine) should be	to prevent the mine from submergence under
	properly collected, treated so	water .When the mine is started after grant of
	as to conform to the standards	Mining lease and other statutory clearances, the
	proscribed under GSR 422(E)	condition shall be complied with.
	dated 19th May, 1993 and 31st	
	December, 1993 or as	
	amended from time to time	
	before discharge. Oil and	
	grease trap should be installed	
	before discharge of workshop	
	effluents.	
viii)	Vehicular emissions should be	When the mine is started after grant of Mining
VIII)	kept under control and	lease and other statutory clearances, Vehicular
	regularly monitored. Vehicles	emissions would be kept under control and
	used for transporting the	regularly monitored as directed.
	mineral should be covered	
	with tarpaulins and optimally	
	loaded.	
ix)	Environmental laboratory	When the mine is started after grant of Mining
17)	should be established with	lease and other statutory clearances
	adequate number and type of	Environmental laboratory shall be established with
	pollution monitoring and	adequate number and type of pollution monitoring
	analysis equipment in	and analysis equipment in consultation with the
	consultation with the State	State Pollution Control Board.
	Pollution Control Board.	
x)	Personnel working in dusty	When the mine is started after grant of Minin
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	areas should wear protective	lease and other statutory clearances, Personne
	respiratory devices and they	working in dusty areas shall wear protective
	should also be provided with	respiratory devices and they should also b
		l in the second of the second
	adequate training and	· F - ·
	adequate	on safety and health aspects.
	uacquare	1 1.1

	surveillance programme of the workers should be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed.	observe any contractions due to exposure to dust and to take corrective measures, if needed.
xi)	A separate environmental management cell with suitable qualified personnel should be set up under the control of a Senior Executive, who will report directly to the Head of the company.	Separate Environmental Management Dept, has been set up and headed by Asst. General Manager, who reports directly to the Head of Mines. In addition to this, SAIL is having a separate Corporate Environment Management Division (EMD) at Kolkata under the control of an Executive Director, who facilitates in Environmental Management of all SAIL units.
xii)	The funds earmarked for environmental protection measure should be kept in separate account and should not be diverted for other purpose. Year-wise expenditure should be reported to this Ministry and its Regional Office at Bhubaneswar.	When the mine is started after grant of Mining lease and other statutory clearances, the funds earmarked for environmental protection measure shall be kept in separate account and should not be diverted for other purpose. Year-wise expenditure would be reported to this Ministry and its Regional Office at Bhubaneswar.
xiii)	The Regional Office of this Ministry located at Bhubaneshwar shall monitor compliance of the stipulated condition. The Project authorities shall extend full co-operation to the officer(s) of the Regional Office by furnishing the requisite data/information/monitoring	
xiv)	reports A copy of the clearance letter will be marked to concern Panchayat/local NGO, if any, from whom any suggestion /representation has been received while processing the proposal.	has been transferred to SAIL.
xv)	State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	has been transferred to SAIL.

John Jan

	m D : 41 milion showld N	Not Applicable as EC granted to the prior allottee
xvi)		has been transferred to SAIL.
	advertise at reast 122 to	las been transferred to bridge.
	newspapers widely circulated	
	around the project, one of	
	which shall be in the	
	vernacular language of the	
	locality concerned within	
	seven days of the clearance	
	and a copy of the clearance	
	letter is available with the	
	State Pollution Control Board	
	and may also be seen at the	
	web site of the Ministry of	
	Environment and Forests at	,
	http://envfor.nic.in	
Sl.No	Conditions as per Environmer	ntal Clearances Transferred by MoEF to Steel
	Authority of India Limited (E	C transferred vide letter no. J- 11015/236/2006-
	IA-II (M) Pt. dated 06.12.2016)	
(v)	No mining shall be carried out ti	11 Application submitted to MoEF&CC on
	the washery is operational	31.03.2016 for transfer of Environmental
		Clearance (EC) in favor of SAIL and same has
		been transferred on 06.12.2016.However,
		while transferring the EC, MoEF&CC imposed
		a new condition no.5 "No mining shall be
		carried out till the Washery is operational'.
		Since Washery of the prior allottee is yet to be
		taken over by SAIL, a letter in this regard has
		been submitted on 07.01.2017 to Joint
		Secretary to GOI, MoEF&CC with a request to
	ľ	delete the condition no.5 in EC transfer letter
		No.J-11015/236/2006-IA-II (M) Pt.
1		dt.06.12.2016.

Befor Colar