



STEEL AUTHORITY OF INDIA LTD
COLLIERIES DIVISION
RAMNAGORE COLLIERY

P.O. RAMNAGORE VIA BARAKAR, PUSCHIM BURDWAN, W.B. - 713324
Tel: 0341-2523154, email id : ramnagorecollierysail@gmail.com

Ref No: - GM(R)/MoEF/148/12

Date : 16.5.2018

To,
The Additional Principal Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (EZ), A/3, Chandrasekharpur,
Bhubaneswar - 751023

Sub: Six monthly status of compliance to the conditions stipulated in the Environmental Clearance granted by MoEF for Begunia Underground Coal Mine Project (EC granted by vide letter no. J-11015/59/2011-IA-II.(M), dated 16th January 2015) for the period ending 31st March'18.

Dear Sir,

The Environmental Clearance has been granted by the Ministry of Environment & Forests, New Delhi vide letter no. J-11015/59/2011-IA-II.(M), dated 16th January 2015 for the Begunia Underground Coal Mine Project of M/s Steel Authority of India Ltd.

Please find enclosed report on six monthly compliance status of conditions stipulated in the environmental clearance for the period ending **31st March 2018** for your kind perusal please.

Hard copy and soft copy of the compliance report are enclosed herewith.

It is pertinent to mention that presently selection of MDO for development and operation of Begunia underground mine is under progress due to that mining activity are not being undertaken at Begunia Underground Coal Mine Project.

Thanking you,

Yours faithfully

K.L.S. Rao
(K.L.S.Rao) 16/5/18

General Manager (I/c)
Collieries Division-SAIL

Encl: As above

Copy:

1. Director, IA, MoEF&CC, GOI, Indira Paryavaran Bhavan, Aliganj, Jor Bagh Road, New Delhi - 110 003.
2. In-charge, Eastern Zone, CPCB, Southern Conclave, Block 502, 5th&6th Floors, 1582 Rajdanga Main Road, Kolkata - 700107 (W. B.)
3. The Member-Secretary, West Bengal State Pollution Control Board, Salt lake, Kolkata.

**SIX MONTHLY
COMPLIANCE REPORT
OF**

ENVIRONMENTAL CLEARANCE CONDITIONS

(Grant Order no: J-11015/59/2011-IA-II.(M), dated 16th January 2015)

OF

Begunia Underground Coal Mine Project (0.33 MTPA)

In Puschim Burdwan District of West Bengal

For the Period October 2017 to March 2018



**स्टील अथॉरिटी ऑफ इण्डिया लिमिटेड
STEEL AUTHORITY OF INDIA LIMITED**

COLLIERIES DIVISION

RAMNAGORE COLLIERY

P.O. - RAMNAGORE VIA BARAKAR, DIST. - PASCHIM BURDWAN (W.B.) - 713324

Handwritten signature

Status of compliance to the conditions stipulated in the Environmental Clearance granted by MoEF for Begunia Underground Coal Mine Project (0.33MTPA) for the period ending March 2018 (EC granted by vide no. J-11015/59/2011-IA-II.(M), dated 16th January 2015)

(A) Specific Conditions :

Cond. No.	Conditions Imposed	Status as on 31 st March 2018
i.	The maximum production from the mine at any given time shall not exceed the limit as prescribed in the EC.	This point will be followed strictly after starting of production. Presently, production has not yet started from the block.
ii.	No mining operation shall be undertaken in the forest land until clearance has been obtained.	In this block, there is no forest land.
iii.	The validity of the EC is for the life of the mine or as specified in the EIA Notification 2006, whichever is earlier.	The validity of the project will be complied as per the EC clause.
iv.	Environmental clearance to the proposal is subject to obtaining clearance under the wild life (Protection) Act, 1972 from the Standing Committee of national Board for Wildlife, as applicable.	No notified National Park / Wildlife Sanctuary / Biosphere Reserve / Tiger Reserve are located within 10 kms from the Mining Lease boundary. Hence it is not applicable to this mining project.
v.	All safety measures need to be taken as per CMR-1957 & related technical circulars.	All safety measures will be taken as per CMR-2017 (amendment and modification has been made in the CMR 1957 and new coal mines regulation has been formed named as CMR 2017) and related technical circulars during execution of the project.
vi.	The approved mine plan shall be followed in synchronization with the EC conditions.	The approved mine plan will be strictly implemented in synchronization with the EC conditions during execution of the project.
vii.	There shall be no diversion/disturbance to the aquifer and any nalla/rivers in the vicinity of the mines.	There shall be no diversion/disturbance to the aquifer and any nalla/rivers in the vicinity of the mines during operation.
viii.	Adequate no. of piezometers shall be installed around the mines and the ground water tables shall be monitored regularly.	During execution of the project adequate number of piezometers shall be installed around the mines and the ground water tables shall be monitored regularly.
ix.	Close monitoring of subsidence and gasses emission shall be done. Safety and monitoring action as recommended by CMPDIL shall be implemented.	During operation of the project close monitoring of subsidence and gasses emission shall be done. Safety and monitoring action as recommended by CMPDIL, Ranchi shall be strictly implemented.

Handwritten signature

x.	Proponent should provide adequate air conditioning so as to prevent heat and humidity to the underground mining.	Adequate air conditioning will be provided during operation, so as to prevent heat and humidity to the underground mining.
xi.	Local people be recruited/trained and be given preference for appropriate job.	Local people shall be recruited / trained and will be given preference for appropriate job once the project is started.
xii.	All electrical equipments should be flame proof.	All electrical equipments that will be commissioned in the mine will be flame proof only.
xiii.	Measures proposed to prevent possible inundation of the underground mine workings include	All necessary measures shall be included to prevent possible inundation of the underground mine workings.
xiv.	All entries to the mine shall not be less than 1.5m above the HFL; adequate pumping arrangement will be provided; self drainage of water from the panels to the main sump; all other precautions against danger of inundation due to surface and underground water, as required under the provision of CMR 1957 will be taken.	All entries to the mine shall be maintained 3m above the HFL; adequate pumping arrangement will be provided; self-drainage of water from the panels to the main sump; all other precautions against danger of inundation due to surface and underground water, as required under the provision of CMR 2017, will be taken once the project starts operating.
xv.	Coal transportation in pit from underground to surface through conveyors. Surface to siding through covered trucks and loading at siding through covered trucks to the ISP by truck by road.	Coal transportation in pit from underground to surface through conveyors. Surface to siding through covered trucks and loading at siding through covered trucks to the ISP by truck through road. These guidelines will be followed strictly during the operation of the project.
xvi.	The production shall be within the same mining lease area.	The production shall be within the same mining lease area only when the project gets operational.
xvii.	A separate team for subsidence monitoring and surface mitigation measures be constituted and continuous monitoring and mitigation measures be carried out.	As instructed in the EC, a separate team for subsidence monitoring and surface mitigation measures shall be constituted and continuous monitoring and mitigation measures will be carried out once the production started.

4.137

xviii.	Regular monitoring of subsidence movement on the surface over and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate effective corrective measures shall be taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clay soil / suitable material.	During operation of the project, regular monitoring of subsidence movement on the surface over and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. All other necessary & effective corrective measures shall be taken to avoid loss of life and material.
xix.	If subsidence is found exceeding the permitted limits, then the land owners shall be adequately compensated with mutual agreement of the land owners.	Mining operation will be carried out in conjunction with sand stowing, and as such there is very less chance of any subsidence. However if subsidence is found exceeding the permitted limits, then the land owners shall be adequately compensated with mutual agreement of the land owners.
xx.	Mining shall be carried out as per statute at a safe distance from river/nalla following within adjacent to the lease boundary at the time of depillaring, protective bunds and garland drains shall be provided so that no water from the surface enters the subsidence area and the shaft.	During the operation, Mining shall be carried out as per statute and at a safe distance from river/nalla following within adjacent to the lease boundary at the time of depillaring, protective bunds and garland drains shall be provided so that no water from the surface enters the subsidence area and the shaft.
xxi.	Sufficient coal pillars shall be left unextracted around the air shaft (within the subsidence influence area) to protect from any damage from subsidence, if any.	When the operation is started sufficient coal pillars shall be left unextracted around the air shaft (within the subsidence influence area) to protect from any damage from subsidence, if any.
xxii.	Solid barriers shall be left below the roads falling within the blocks to avoid any damage to the roads.	During operation of the project, Solid barriers shall be left below the roads falling within the blocks to avoid any damage to the roads.
xxiii.	Diversion of land shall be done with approval of the approval competent authorities.	Diversion of land shall be done with approval of the competent authorities and will be accordingly followed.

4-11-2

xxiv.	Coal extraction shall be optimized in areas where agricultural production is continuing. Some pillars shall be left below the agricultural land. No depillaring and coal extraction should be carried out below habitation, HT lines and beneath road, water bodies, railway track.	During operation of the project, Coal extraction shall be optimized in areas where agricultural production is continuing. Some pillars shall be left below the agricultural land and No depillaring and coal extraction should be carried out below habitation, HT lines and beneath road, water bodies, railway track.
xxv.	The mined out land should be used for agricultural purpose.	The project is underground project with sand stowing and hence there is minimal chance of land degradation.
xxvi.	Safety measures and health issues need to be addressed for workers and surrounding villagers.	Safety measures and health issues shall be addressed for workers and surrounding villagers when the project is started.
xxvii.	Proponent shall implement all the related safety measures with safety equipments.	During operation of the project all the related safety measures with safety equipments shall be implemented.
xxviii.	The CSR cost should be Rs.5/t of coal produced which should be adjusted as per the annual inflation.	<u>During operation of the project</u> , CSR activities shall be undertaken for the adjoining villages as directed by ministry. However in 2015-16, we have spent Rs.14 Lakh in CSR jobs for drinking water, Ladies toilet and bath rooms. In 2016-17 we have spent Rs.6.80 lakhs on CSR jobs for construction of library for the poor people. In 2017-18 we have spent Rs 3.15 Lakh for Civil Jobs in community hall and preparation of stage under CSR.
xxix.	At the time of establishing the CHP, it is proposed to established mist spray arrangements and also enclosing the ground level bunkers upto the level of gantry.	At the time of establishing the CHP, mist spray arrangements shall be established and also the ground level bunkers upto the level of gantry shall also be enclosed.
xxx.	An afforestation plan to be prepared for implementation after stabilization of subsidence.	An afforestation plan shall be prepared for implementation after stabilization of subsidence and will be implemented accordingly.
xxxi.	Water spraying arrangements at loading points and mist spray arrangements are to be provided.	Water spraying arrangements at loading points and mist spray arrangements shall be provided during operation.
xxxii.	Mine closure activities include sealing of incline mouth, dismantling of haulage system, clearing and afforestation of coal stock area, plantation on barren land and old abandoned mine.	Mine closure activities including sealing of incline mouth, dismantling of haulage system, clearing and afforestation of coal stock area, plantation on barren land and old abandoned mine shall be done as directed.

K.C.S.V

xxxiii.	3-tier plantation shall be developed 2km stretch of road from the mine using native species.	A 3-tier avenue plantation shall be developed using native species along the main approach roads and coal transportation roads. A plan for plantation of areas with surface rights shall be prepared and implemented and shall include areas under green belt development, areas along roads, infrastructure along ML boundary and township etc. by planting native species in consultation with the local DFO/Agriculture Department.
xxxiv.	Garland drains (size, gradient and length) around the safety areas such as mine opening and mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. Sump capacity shall also be provided adequate retention period to allow proper settling of silt material.	Proper garland drains around the safety areas such as mine opening and mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. Sump capacity shall also be provided adequate retention period to allow proper settling of silt material.
xxxv.	Water sprinkling system shall be provided to check fugitive emission from loading operations, conveyor system, haulage roads, transfer points, etc. Major approach roads shall be black topped and properly maintained.	During operation of the project, water sprinkling system shall be provided to check fugitive emission from loading operations, conveyor system, haulage roads, transfer points, etc. Major approach roads shall be black topped and properly maintained.
xxxvi.	A progressive afforestation plan shall be prepared and implemented over the mine lease area acquired and shall include areas under green belt development, areas along roads, infrastructure, along ML boundary and township, etc. by planting native species in consultation with the local DFO/agriculture department.	During operation of the project a progressive afforestation plan shall be prepared and implemented over the mine lease area acquired and shall include areas under green belt development, areas along roads, infrastructure, along ML boundary and township, etc. by planting native species in consultation with the local DFO/agriculture department.
xxxvii.	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be done four times a year in pre monsoon (May), Monsoon (August), post monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to MoEF and to the Central Pollution Control Board	During the operation of the project, regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be done four times a year in pre monsoon (May), Monsoon (August), post monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to MoEF and to the Central Pollution Control Board quarterly within one month of monitoring.

✓✓✓

	quarterly within one month of monitoring.	
xxxviii.	Acid water treatment plant, volume of water to be treated and disposal of brine should be provided.	During operation of the project, acid water treatment plant, volume of water to be treated and disposal of brine shall be provided.
xxxix.	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	During mining high root density tree species shall be selected and planted over areas likely to be affected by subsidence.
xl.	Monitoring of drinking water should be carried out regularly.	Monitoring of drinking water shall be carried out regularly during the operation of the project.
xli.	Sewerage treatment plant shall be installed in the township. ETP shall also be provided for treating workshop and CHP effluents.	During the operation of the project, sewerage treatment plant shall be installed in the township. ETP shall also be provided for treating workshop and CHP effluents.
xlii.	For monitoring land use pattern and for mine land use, a times series of land used maps, based on satellite imaginary (on a scale of 1:5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in three year (for any one particular season which is consistent in the time series), and the report submitted to MoEF and its regional office at Bangalore.	A times series of land used maps, based on satellite imaginary (on a scale of 1:5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in three year as directed by MoEF&CC.
xliii.	If the water quantity parameter such as F, pH, heavy metals, etc. exceeds the prescribed limits, suitable measures by the proponent be taken to ensure that the local communities are provided alternate source of water for their livelihood.	Since mining will be done through underground with sand stowing, so water parameters will not be affected. However, if the water quantity parameter such as F, pH, heavy metals, etc. exceeds the prescribed limits, suitable measures will be taken by the company for alternate source of water to the local communities.
xliv.	Medical camps should be organize in the area for regular check for workers/villagers/ populations. Detail prevalent disease pattern in the area should be documented and detail of medical facilities provided for the same be made available to the MoEF.	We have Medical dispensary with qualified doctors and other medical staffs for regular check for the workers/villagers/populations. Detail prevalent disease pattern in the area will be documented and detail of medical facilities provided for the same be made available to the MoEF.
xlvi.	Mine discharge water outside the ML should be monitored, particularly for TDS and treated to confirm to prescribed levels before discharge in to the natural environment.	Mine discharge water will be used for stowing purpose and excess water will be monitored, particularly for TDS and treated to confirm to prescribed levels before supplying to the local for cultivation.

K. V. S.

xlvi.	The company shall put up artificial ground water recharge measures for augmentation of ground water resources, in case water table shows a declining trend. The project authorities shall meet water requirement of nearby village(s) in case the wells go dry due to dewatering of mine.	During mining operation, if water table shows a declining trend, the company will provide arrangement for artificial ground water recharge measures for augmentation of ground water resources. The Company shall meet water requirement of nearby area in case the wells go dry due to dewatering of mine.
xlvii.	Besides carry out regular periodic health checkup of their workers, 10% of the workers identified occupational disease and hearing impairment, if any, through an agency such as NIOH, Ahmadabad within a period of one year and the results reported to the ministry and to DGMS.	In addition to regular periodic health checkup of their workers, 10% of the workers will be identified occupational disease and hearing impairment, if any, through an outside reputed agency within a period of one year and the results reported to the ministry and to DGMS.
xlvi.	The mining in the existing mines should be phased out after expiry of the current mining lease and after reclamation of mined over area. The operating mines any be analysed and monitored for compliance of conditions bearing with moment of wild life and until such time they are closed/phased out.	There does not exist mine presently and hence not applicable.
xlix.	Project specific CSR for an amount of Rs.5/t of coal production, as adjusted as per the annual inflation, should be provided for the CSR activities undertaken and the progress made their on shall be uploaded annually on the company website. Monitoring of the impact of activities under CSR shall be carried out periodically.	<u>During operation of the project</u> , CSR activities shall be undertaken for the adjoining villages as directed by ministry. All the activities carried out under CSR are being uploaded by the concerned department of SAIL in website.
i.	A final mine closure plan along with detailed of corpus fund shall be submitted to the ministry of environment/forest & climatic change 5years in advance of final mine closure for approval.	The final mine closure plan along with detailed of corpus fund will be submitted to the MoEF&CC in advance of final mine closure for approval as stipulated in the EC.
li.	Corporate Environment Responsibility: a) The company shall have a well laid down environment policy approved by the board of directors. b)The environment policy shall prescribed for standard operating process/ procedures to bring into	SAIL has always been an environmentally conscious and responsible company. Way back in 1996, it was a pioneer in adopting a Corporate Environmental Policy. In view of the rapid technological advancements in the past two decades and growing stringency of regulatory requirements, SAIL has revised its

	<p>focus any infringements/deviation /violation of the environmental or forest norms/ conditions</p> <p>c) The hierarchical system or administrative order of the company to deal with environmental issues and for ensuring compliance with the environ-mental clearance conditions shall be furnished.</p> <p>d) To have proper checks and balance, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the board of directors of the company and / or share holders of stock holders at large.</p>	<p>Environmental Policy and made "Corporate Environmental Vision, Policy and Responsibility" and copy of the same is attached in Annexure – I.</p>
--	---	---

(B) General Conditions :

Cond. No	Conditions Imposed	Status as on 31st March 2018
i.	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment, Forests & Climate change.	There will be no change in technology and scope of working shall be made without prior approval of the Ministry of Environment, Forests & Climate change during execution of the project.
ii.	No change in the calendar plan of production for quantum of mineral coal shall be made.	<u>When the project is started</u> , no change in the calendar plan of production for quantum of mineral/ coal being produced shall be made.
iii.	Four ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO ₂ and NO _x . Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc. carried out at least once in six months.	Presently, since Begunia is not an operating mine, <u>When the project gets started</u> , ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO ₂ and NO _x as directed. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc. shall be carried out at least once in six months.

K. L. S.

iv.	Data on ambient air quality (PM ₁₀ , PM _{2.5} , SO ₂ and NO _x and heavy metals such as Hg, As, Ni, Cr etc.) and other monitoring data shall be regularly submitted to the Ministry including its concerned Regional Office and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognized under the E(P) Rules, 1986 shall be furnished as part of the compliance report.	Monitoring of ambient air quality (PM ₁₀ , PM _{2.5} , SO ₂ and NO _x and heavy metals such as Hg, As, Ni, Cr etc.) will be started during operation of the project.
v.	Adequate measures shall be taken for control of noise levels below 85 dB(A) in the work environment. Workers engaged in blasting and drilling operations, operations of HEMM, etc. shall be provided with ear plugs / muffs.	<u>During operation of the project</u> , adequate measures shall be taken for control of noise levels below 85 dB (A) in the work environment as directed.
vi.	Industrial waste water (workshop and waste water from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents.	At presently no mining activity is being undertaken, so no industrial wastewater is generated from the mine and no workshop has been established till date. <u>When the project is started</u> , the condition shall be strictly complied with.
vii.	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of the mineral shall be covered with tarpaulins and optimally loaded.	<u>When the project is started</u> , vehicular emissions shall be kept under control and regularly monitored as directed.
viii.	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analyzed through a laboratory recognized under EP Rules 1986.	Monitoring of environmental quality parameters will be started during operation of the project.
ix.	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	During working all workers shall be provided dust mask and regular training will be provided as per statute.
x.	Occupational health surveillance programme of the workers shall be	Occupational health surveillance programme of the workers shall be

K. V. V.

	undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issue of the outsourced manpower should be addressed by the company while outsourcing.	undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records shall be maintained thereof. The quality of environment due to outsourcing and the health and safety issue of the outsourced manpower will be addressed by the company during outsourcing.
xi.	A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Company.	<i>When the project is started</i> , separate Environmental Management Cell will be set up with suitable qualified personnel.
xii.	The funds earmarked for environmental protection measures shall be kept in separate account and should not be diverted for other purpose. Year wise expenditure shall be reported to this Ministry and its concerned Regional Office.	<i>When the project is started</i> , the funds earmarked for environmental protection measures shall be kept in separate account and would not be diverted for other purpose. Year wise expenditure shall be reported to this Ministry and its Regional Office.
xiii.	The project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned, within 7 days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at web site of the Ministry of Environment, Forests & Climate change at http://envfor.nic.in .	Advertisement was published in two local newspapers i.e. Hindi News Paper on 31.1.2015 (Dainik Jagaran) and Bangla News Paper on 31.1.2015 (Anand Bazar Patrika). Copies of the paper cuttings are placed in Annexure – II.
xiv.	A copy of the environmental clearance letter shall be marked to concerned Panchayat / Zilla Parishad, Municipal Corporation or Urban Local Body and local NGO, if any, from whom any suggestion / representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.	Copy of the Environmental clearance letter has been made available to Kulti municipality. A copy of the clearance letter has also been displayed on the company's website.
xv.	A copy of environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control	Copy of the Environmental clearance letter has been made available to the State Pollution Control Board.

K.U.V

	Board. The EC letter shall also be displayed at the Regional Office, District Industry Centre and Collector's Office / Tehsildar's Office for 30 days.	
xvi.	The clearance letter shall be uploaded on the company's website. The compliance status of stipulated EC conditions shall also be uploaded by the project authorities on their website and updated at least once in every six months so as to bring the same in the public domain. The monitoring data of environmental quality parameters (air, water, noise and soil) and critical pollutants such as PM ₁₀ , PM _{2.5} , SO ₂ and NO _x (ambient) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mines office and in corporate office and on the company's website.	The Environmental Clearance has been uploaded on the company's website. The compliance status of stipulated EC conditions shall also be uploaded on the company's website and updated at least once in every six months after submission of the report to the concerned authorities.
xvii.	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the Ministry, the respective Zonal offices of CPCB and the SPCB.	Started sending compliance status on six monthly basis to MoEF, Bhubaneswar, CPCB, Kolkata and SPCB.
xviii.	The Regional Office of this Ministry located in the Region shall monitor compliance of the stipulated conditions. The project authorities shall extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Full co-operation is always extended to State and Central Govt. Officials.
xix.	The environmental statement for each financial year ending 31 st March in Form - V is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Act, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEF & CC by e-mail.	Shall be strictly complied during operation of the Project.

Corporate Environmental Vision, Policy and Responsibility

Corporate Environmental Vision statement:

To lead the way in building and environmentally sustainable future for the Indian Iron & Steel Industry by integration environmental and stack holder and concerns through resource optimization and the adoption of cleaner technologies and best practices.

Corporate Environmental Policy.

Steel Authority of India Ltd., the largest steel producer of India, in its Endeavour to maintain a clean and sustainable environment in and around its plants and mines is committed to :

- i. Integrate sound environmental practices in all its activities.
- ii. Comply with legal and other requirements pertaining to the environment, forest and wild life and volunteer to go beyond.
- iii. Contribute towards mitigation of Climate change through the adoption of cleaner and energy efficient technologist.
- iv. Promote development of innovative environment-friendly processes and products.
- v. Restore ecosystems in mined out landscapes and abandoned sites through ecological restoration.
- vi. Integrate the principle of “reduce, recover, recycle and reuse” in its operations for conservation of natural resources to ensure sustainable future.
- vii. Strive for continual improvement of environmental performance by setting and achieving challenging targets.
- viii. Ensure regular monitoring and review of environmental performance through a robust audit mechanise and a transparent reporting system.
- ix. Continuously monitor emission, discharge and ambient air quality and make data available in the public domain.
- x. Communicate environmental performance to all stack holders.
- xi. Improve employee commitment and responsibility towards environment protection through capacity building.
- xii. Promote environmentally responsible behaviour amongst contractual work force and suppliers.

K. C. S. ✓

Strategies:

To ensure sustainable future and realise the vision, the company has planned some strategies action points, which are summaries below, taking into considerations that the old production units shall co-exist with the new units installed / being installed under the ongoing modernisation-cum- expansion scheme for the coming few years:

- Implementation of sound environmental practices in operations and progressively adopting best available cleaner technologies for minimising emission and discharges.
- Integration of four 'R's principle of Reduce, recover, recycle and reuse in operation for reducing consumption of natural resources through minimizing waste generation, maximizing waste utilization and optimizing use of available resources.
- Reduce waste consumption through improving water management practices and adopting other measures, like centralized and local recycling
- Minimising direct and indirect impact of mining on surrounding forest and wild life through periodic monitoring using advanced methods, developing and implementing site specific conservation plan and other measures.
- Biodiversity conservation through conducting by diversity assessment and management studies, periodic monitoring and stock holder engagement.
- Ecological restoration of mined out areas and abandoned sites through adoption of progressive and integrated Mine closure plan (PMCP & IMCP).
- Undertaking planned massive plantation through plantation drives at units, social forestry, creating chain of nurseries and joint forest management (JFM) with state forest departments to enhance ecosystem services.
- Minimising impact of operations on environments by developing technologies for maximising use of resources and enhancing utilisation/management of waste through well equipped R&D facility.
- Promoting use of renewable resources of energy and green fuels for reducing dependence on conventional energy sources.
- Monitoring, reviewing and reporting environmental parameters and clearance conditions for compliance and improvement.
- Strengthening of environmental administration and management reporting structure.
- Enhancing commitment towards environment protection amongst employees, suppliers and contractors through augmenting employee awareness, increasing competency, capacity building and creating knowledge platforms.
- Implementing an environment management system (EMS) having focus continual improvement, on review, on prevention or mitigation of adverse environmental impacts at all plants/units.

আনন্দবাজার পত্রিকা
শনিবার ৩১ জানুয়ারি ২০১৫

দক্ষিণবঙ্গ

১৫

নিউ ইন্ডাস
ডাক্তার-
মা তাকে
নয়।
কিছু কড়া
না করণ
হর মাঝে
সাহসকর্মের
বি বাড়িয়ে
চালানোর
নয়ত্বের
এটি কেন্দ্র
কর্তাদের
র বেনিয়ম
পেছাদেশী
উনিটের ভার

সূচনা

Ananda Bazar
Patika (31/1/15)

স্টীল অথরিটি অফ ইন্ডিয়া লিমিটেড (সেল) এর বেগুনিয়া
ভূগর্ভস্থ কয়লা খনি পারিযোজনাটি পোস্ট-কুলটি জিলা-
বর্ধমান, (প.ব.) তে অবস্থিত। উক্ত পারিযোজনাটি ভারত
সরকারের পরিবেশ ও বন মন্ত্রালয় এবং জলবায়ু পরিবর্তন
মন্ত্রক তাদের পত্র সংখ্যা : J-11015/59/2011-IA-II(M)
তারিখ ১৬/০১/২০১৫ দ্বারা পরিবেশ মঞ্জুরির অনুমতি প্রাপ্ত
হয়েছে। এই পরিবেশ মঞ্জুরিটি ০.৩৩ মিলিয়ন টন প্রতি বর্ষ
কয়লা উৎপাদন এর জন্য অনুমতি প্রাপ্ত হয়েছে। মঞ্জুরি পত্রটি
এর প্রতিলিপি পশ্চিমবঙ্গ প্রদূষণ নিয়ন্ত্রণ বোর্ড এর কাছে
উপলব্ধ আছে, উক্ত মঞ্জুরি পত্রটি পরিবেশ ও বন মন্ত্রালয়
এর ওয়েব সাইট <http://envfor.nic.in> এ উপলব্ধ আছে।

5 YEAR
GUARANTEE
FOR THE JOB

Asansol Learning Center
4th Floor, T.P Market, G.T Road
Above Hotel Regal International,
Asansol - 713301
0341 - 2310050 / 9775787333
9775782333 / 8170004964

u-c1

10-11-12

श्री गङ्गा जाता है : पञ्चमी आश्विनह. नमा. दोन्यादय म इसका कान्ति माग है।

9139374124

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847

[illegible]

11-12-77

Deinik Jagerm.
31/1/15

स्टील अथारिटी ऑफ इंडिया लिमिटेड (सेल) की वेबुनिया भुमिगत कोयला खदान परिषोजना जो कुल्टी थाना, जिला वर्द्धमान के अंतर्गत परिचम बंगाल में अवस्थित है। पर्यावरण एवं वन मंत्रालय एवं जलवायु परिवर्तन, भारत सरकार ने पत्र सख्या J-11015/59/2011-IA-II(M) द्वारा दिनांक 16.01.15 को पर्यावरणीय अनुमति प्रदान की है। यह पर्यावरणीय अनुमति 0.33 मिलियन टन प्रति वर्ष कोयला के उत्पादन के लिए प्राप्त किया गया है। मंजूरी पत्र की एक प्रति परिचम बंगाल प्रदूषण नियंत्रण बोर्ड के साथ उपलब्ध है। यह पत्र पर्यावरण एवं वन मंत्रालय की वेबसाइट <http://envfor.nic.in> पर भी उपलब्ध है।

✓✓✓

[illegible][illegible]